


Product Data Sheet



Product description

Compressor Oil EP VDL are a range of high performance compressor lubricants. These lubricants are formulated with high quality paraffinic base oils combined with an additive system designed to promote oxidation resistance, corrosion protection and robust extreme pressure characteristics.

Compressor Oil EP VDL offer smooth, economical performance and reliable protection against piston and valve deposit formation, helping reduce the risk of fire or explosion in compressors under severe service conditions.

Customer benefits

- Robust formulation promotes extended lubricant service life and equipment uptime
- Formulated to contribute to compressor performance and protection, helping reduce maintenance and downtime
- Aids reliable performance in severe, extreme pressure operations, promoting extended compressor service life
- Keep-clean performance assists protection against deposit formation and helps reduce fire and explosion risk
- Designed to promote protection against oxidation and system corrosion

Applications

- Compressor Oil EP VDL are recommended for stationary and portable compressors, including compressors with oil lubricated pressure space, such as single and multistage reciprocating compressors or single and multistage centrifugal compressors
- Compressor Oil EP can be used in air or inert gas reciprocating compressors
- Compressor Oil EP can be used in compressors where the manufacturer specifies a non detergent, EP oil of similar type and performance

Not recommended for use in breathing air compressors.

Product highlights:

- Extended lubricant service life
- Reduced maintenance and downtime
- Severe, extreme pressure protection
- Keep-clean performance
- High temperature oxidation and corrosion protection
- Selected specification standards include:
- DIN 51506 VDL
- Hamworthy air compressors
- Hatlapa
- Sperre
- Tanabe
- Teikoku air compressors



A Chevron company product







Approvals, performance and recommendations

Performance

• DIN 51506 VDL

Recommendations

Compressor Oil EP VDL 100 is recommended by:

- Tanabe for use in their reciprocating-type compressors
- Sperre for use in their Classic 30 bar reciprocating air compressors

Compressor Oil EP VDL 100 is suitable for use in:

- Hatlapa W- & L-type, and V-Line piston compressors
- Teikoku air compressors

Compressor Oil EP VDL 100 has also been used successfully in Hamworthy air compressors.





Typical test data

COMPRESSOR OIL EP VDL		
TEST	TEST METHODS	RESULTS
Viscosity Grade		100
Product Code		540588
Visc. Kinematic at 40 °C	ISO 3104	100
Visc. Kinematic at 100 °C	ISO 3104	11.0
Visc. Index	ISO 2909	97
Colour	ISO 2049	<2
Flash Point, °C	ISO 2592	248
Pour point, °C	ISO 3016	-12
TAN, mg KOH/g	ASTM D0664	0.08
Density, 15 °C, Kg/I	ASTM D1298	0.889
Air Release at 50 °C, min	ISO DIS 9120	15
Foam Seq. I, IAB ml	ISO 6247	0
Foam Seq. I, AFT 10 ST ml	ISO 6247	0
Cu Corrosion, 3h, 100 °C	ASTM D0130	1a

The information given in the typical data does not constitute a specification but is an indication based on current production and can be affected by allowable production tolerances. The right to make modifications is reserved. This supersedes all previous editions and information contained in them.

<u>Disclaimer</u> Chevron accepts no liability for any loss or damage suffered as a result of using this product for any application other than applications specifically stated in any Product Data Sheet's.

<u>Health, safety, storage and environmental</u> Based on current available information, this product is not expected to produce adverse effects on health when used for the intended application and in accordance with the recommendations provided in the Material Safety Data Sheet (MSDS). MSDS's are available upon request through your local sales office, or via the Internet. This product should not be used for purposes other than its intended use. When disposing of used product, take care to protect the environment and follow local legislation.

For more information, go to www.chevronlubricants.com

A Chevron company product